

Zika Virus Testing

Patient Name: ZIKA, TEST
Specimen Type: URINE+PLASMA
Patient ID #: 8500103
Date of Birth: 06/22/1972
Date Collected: 05/25/2016
Date Received: 05/27/2016
Date Reported: 6/14/2016

Physician: 24328 Tel: 0000000000
OB SPECIALISTS
100 ANYWHERE ST
SOMEWHERE, US 99999

Zika Virus Testing was performed at:


Viracor-IBT Laboratories - 1001 NW Technology Dr., Lee's Summit, MO | CLIA# 26D-0983643

See Attached Report

The information contained in this fax transmission is intended only for the user or the individual or entity to whom or to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or the employee or agent responsible for delivering this communication to the intended recipient, you are hereby notified that any dissemination, distribution, copying or disclosure of this communication is strictly prohibited. If you have received this transmission in error please notify the sender immediately by telephone and fax and destroy any copies. If this communication has been received electronically, delete the original communication and any attachment from any computer, server or other electronic recording or storage device or medium. No confidentiality or privilege is waived or lost by any mistransmission. Please notify NTD Laboratories if you are receiving patient information or other confidential information and your fax machine is not in a secure location. Please notify if there is an alternative fax number we may use.



Jonathan B. Carmichael, Ph.D,
Laboratory Director



Terrence W. Hallahan, Ph.D,
Laboratory Director

8500103
Fax: 9999999999



LABORATORY REPORT

PATIENT NAME: REPORT, SAMPLE IA W
SEX: M **DOB:** 01/01/1985 **AGE:** 31y
VIRACOR-IBT PATIENT ID: 5324500
PHYSICIAN: Undefined..
RECEIVED: 06/14/2016 15:21
REPORT DELIVERED: 06/14/2016 15:36

CLIENT MRN: 64727421

CLIENT:
Viracor-IBT Validation
1234 1st Street
Suite B
Anywhere, Mo 11223

RESULTS

Zika Virus RT-PCR (plasma) 4800

Client Accession ID:

Viracor-IBT Accession ID: 3413669

Collected: 06/13/2016 15:21

Final - Approved 06/14/2016 15:32

Performed at: Viracor-IBT Laboratories - 1001 NW Technology Dr., Lee's Summit, MO | CLIA# 26D-0983643

TEST

RESULT

Zika RT-PCR

Detected

Expected Value: Not Detected

Specimens with a "Not Detected" PCR result that are obtained from pregnant women should be followed up with Zika Serology testing to further evaluate the Zika status of the patient.

This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. Results should be used in conjunction with clinical findings, and should not form the sole basis for a diagnosis or treatment decision.

PCR tests are performed pursuant to a license agreement with Roche Molecular Systems.

Zika Virus RT-PCR (urine) 4800

Client Accession ID:

Viracor-IBT Accession ID: 3413670

Collected: 06/13/2016 15:21

Final - Approved 06/14/2016 15:31

Performed at: Viracor-IBT Laboratories - 1001 NW Technology Dr., Lee's Summit, MO | CLIA# 26D-0983643

TEST

RESULT

Zika RT-PCR

Detected

Expected Value: Not Detected

Specimens with a "Not Detected" PCR result that are obtained from pregnant women should be followed up with Zika Serology testing to further evaluate the Zika status of the patient.

This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. Results should be used in conjunction with clinical findings, and should not form the sole basis for a diagnosis or treatment decision.

PCR tests are performed pursuant to a license agreement with Roche Molecular Systems.