



### LABORATORY REPORT

**Patient Name:** SAMPLE, REPORT  
**Sex:** M      **DOB:** 01/03/1957      **Age:** 63y  
**Viracor Eurofins Patient ID:** 7848739  
**Physician:** Unknown, Dr.  
**Received:** 03/18/2020 12:45  
**Report Delivered:** 03/18/2020 12:50

**Client MRN:**

**Client:**  
Viracor Eurofins Validation  
1234 1st Street  
Suite B  
Anywhere, Mo 11223

Comments:            SARS-CoV-2 RT-PCR Respiratory Specimen Type : BAL

#### RESULTS

**Coronavirus SARS-CoV-2 RT-PCR (respiratory)**      Client Accession ID:  
Viracor Eurofins Accession ID: 2003180326      Collected: 03/18/2020 11:46      Final - Approved 03/18/2020 12:48  
Performed at: Viracor Eurofins - 1001 NW Technology Dr., Lee's Summit, MO | CLIA# 26D-0983643

| TEST              | RESULT   | FLAG | REF RANGE    |
|-------------------|----------|------|--------------|
| SARS-CoV-2 RT-PCR | Detected | A    | Not Detected |

This test has been validated but FDA's independent review of the validation is pending. This test is performed as a laboratory developed test; independent review of the validation under the FDA's Emergency Use Authorization (EUA) authority will be performed according to current guidance requirements.

We will continue to follow federal and state requirements for both notification of results and any confirmatory testing that is required by another agency.

This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration. Results should be used in conjunction with clinical findings, and should not form the sole basis for a diagnosis or treatment decision.