



LABORATORY REPORT

Patient Name: SAMPLE, REPORT
Sex: F **DOB:** 09/07/1957 **Age:** 62y
Viracor Eurofins Patient ID: 7590827
Physician: Unknown, Dr.
Received: 03/10/2020 10:37
Report Delivered: 03/10/2020 10:41

Client MRN:

Client:
Viracor Eurofins Validation
1234 1st Street
Suite B
Anywhere, Mo 11223

Comments: SARS-CoV-2 RT-PCR Respiratory Specimen Type : BAL

RESULTS

Coronavirus SARS-CoV-2 RT-PCR (respiratory) Client Accession ID:
Viracor Eurofins Accession ID: 2003100301 Collected: 03/10/2020 09:38 Final - Approved 03/10/2020 10:41
Performed at: Viracor Eurofins - 1001 NW Technology Dr., Lee's Summit, MO | CLIA# 26D-0983643

TEST	RESULT	FLAG	REF RANGE
SARS-CoV-2 RT-PCR	Not Detected		Not Detected

This test has been validated but FDA's independent review of the validation is pending. This test is performed as a laboratory developed test; independent review of the validation under the FDA's Emergency Use Authorization (EUA) authority will be performed according to current guidance requirements.

This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration. Results should be used in conjunction with clinical findings, and should not form the sole basis for a diagnosis or treatment decision.